

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	397	(@ad<"20040331" @rlad<"20040331") and ( ( assign\$5 designat\$5 implement\$5 accept\$5 specify ) near9 (role client server master slave mode model function) ) and ( ( socket port ) near3 (role client server master slave mode model function) ) and ( ( socket port ) near9 ( point-to-point p2p peer-to- peer ) )	US- PGPUB; USPAT	OR	OFF	2008/09/30 13:53
L2	145	(@ad<"20040331" @rlad<"20040331") and ( ( assign\$5 designat\$5 implement\$5 accept\$5 specify ) near9 (role client server master slave mode model function) ) and ( ( socket port ) near3 (role client server master slave mode model function) ) and ( ( socket port ) near9 ( point-to-point p2p peer-to- peer ) ) and "709".clas.	US- PGPUB; USPAT	OR	OFF	2008/09/30 13:54
L3	20	I2 and (FC ( (fibre fiber) adj channel) )	US- PGPUB; USPAT	OR	OFF	2008/09/30 13:58
L4	51	(@ad<"20040331" @rlad<"20040331") and ( ( assign\$5 designat\$5 implement\$5 accept\$5 specify ) near9 (role client server master slave mode model function) ) and ( ( socket port ) near3 (role client server master slave mode model function) ) and ( ( socket port ) near9 ( point-to-point p2p peer-to- peer ) ) and (FC ( (fibre fiber) adj channel) ) not I3	US- PGPUB; USPAT	OR	OFF	2008/09/30 14:06

L5	10	(@ad<"20040331" @rlad<"20040331") and ( ( assign\$5 designat\$5 implement\$5 accept\$5 specify appoint choos\$4 select\$5 ) near9 (role client server master slave mode model function) ) and ( ( socket port ) near3 (role client server master slave mode model function) ) and ( ( socket port ) near9 ( point-to-point p2p peer-to- peer ) ) and (FC ( (fibre fiber) adj channel) ) not (I3 I4) and ( ( assign\$5 designat \$5 implement\$5 accept\$5 specify appoint choos\$4 select\$5 role client server master slave mode model function ) near9 ( depend\$5 accord\$5 rule based when ) )	US- PGPUB; USPAT	OR	OFF	2008/09/30 14:20
L6	0	( ( assign\$5 designat\$5 implement\$5 accept\$5 specify appoint choos\$4 select\$5 ) near9 (role client server master slave mode model function) ).clm. and ( ( socket port ) near3 (role client server master slave mode model function) ).clm. and ( ( socket port ) near9 ( point-to-point p2p peer-to- peer ) ) and (FC ( (fibre fiber) adj channel) ) and ( ( assign\$5 designat\$5 implement\$5 accept\$5 specify appoint choos\$4 select\$5 role client server master slave mode model function ) near9 ( depend\$5 accord\$5 rule based when ) ) and ( (bali\$5 gole \$5 budhia\$5).inv. network \$5.as.)	US- PGPUB; USPAT	OR	OFF	2008/09/30 14:32

9/ 30/ 2008 2:35:54 PM

C:\ Documents and Settings\ gbenzon\ My Documents\ EAST\ Workspaces\ GCB 10816336  
Assign role port P2P.wsp